

SDES156G-10

DATA SHEET

DES G Line



DES G Line · Desktop Manual Foldable Monitor

Manual Foldable Desktop Monitor for boardrooms and meeting room tables.

Made of anodized aluminium housing.



SDES156G-10

SOLTEC TECHNICAL SPECIFICATIONS

DESKTOP MANUAL FOLDABLE MONITOR

DES G Line

GENERAL DESCRIPTION

Manual Foldable Desktop Monitor for boardrooms and meeting room tables. Made of anodized aluminium housing, these monitors are the perfect solution for those installations where only limited mechanization on the boardroom table is allowed.

DVI-D input

Full range of options available.



DISPLAY

Panel Technology	Edge LED Technology
Display Area (mm)	344.2 (H) x 193.5(V)
Size	15.6"
Pixel Pitch (mm)	0.252 x 0.252
Screen Aspect	16:9
Native Resolution	1366 x 768
Viewing Angle UDLR	85°/85°/80°/80°
Contrast Ratio	500:1 (Typ)
Brightness cd/m2	300 (Typ)
Colors	16.7 M Colors
Response Time	8ms Ton +Toff
Life Time (hours)	50.000
Protective Glass	3mm with black border

CONNECTIVITY

Digital Input	1xDVI
Plug & Play	VESA DDV2Bi
Auto Detection	Yes
No Signal Detected	Standby Mode
Identification	DDC2Bi EDiD v1.3

ELECTRICAL

Power Supply Input	12VDC
LCD Consumption	25W
Energy Management	VESA DPMS

MECHANICAL (SDES156G-10)

Net	TBD
Net Weight (Kg)	TBD
Packing	TBD

ENVIRONMENTAL CONDITIONS

Operation Temperature	0° to 60°
Storage Temperature	-20° to 60°
Operation Humidity (%)	5 to 90
Storage Humidity (%)	5 to 90

OTHERS

Certifications	CE; RoHS
Accessories	Mains Power Cord User Manual

ORDERING INFORMATION

SDES156G-10	Standard 15.6" DES G-Line
-------------	---------------------------

Specifications subject to change without prior notice

SDES156G-10

SOLTEC
STANDARD AVAILABLE OPTIONS

DESKTOP MANUAL FOLDABLE MONITOR

DES G Line

15.6" Manual Foldable Desktop Monitor for boardrooms and meeting room tables.

Full HD Panel




4K panel



Touch Screen



High Brightness



ORDERING INFORMATION OPTIONS

PCT156IN

15.6" Projected Capacitive Touch Screen

IR156-2

15.6" Infrared Technology

156HB

1500cd/m² High Brightness TFT option



Specifications subject to change without prior notice

